

Type N Male for CNT-600 braided cable

Product Classification

Product Type Braided cable connector

Product Brand CNT®

General Specifications

Body Style Straight

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface N Male

Outer Contact Attachment Method Clamp

Outer Contact Plating Trimetal

Dimensions

Width 24 mm | 0.945 in


Length 43.85 mm | 1.726 in

Diameter 24 mm | 0.945 in

Nominal Size 0.590 in

Outline Drawing





Electrical Specifications

Insertion Loss, typical 0.05 dB **Cable Impedance** 50 ohm **Connector Impedance** 50 ohm 2500 V dc Test Voltage **Inner Contact Resistance, maximum** 1 m0hm 5000 MOhm Insulation Resistance, minimum 0 - 6000 MHz **Operating Frequency Band** 0.25 m0hm **Outer Contact Resistance, maximum** Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-3000 MHz	1.06	32
3000-6000 MHz	1.12	25

Mechanical Specifications

Connector Retention Tensile Force450 N | 101.164 lbfConnector Retention Torque1.7 N-m | 15.046 in lb

Page 2 of 4



Coupling Nut Proof Torque 1.7 N-m | 15.046 in lb

Coupling Nut Proof Torque Method IEC 61169-16:9.3.6

Coupling Nut Retention Force 450 N | 101.164 lbf

Coupling Nut Retention Force Method IEC 61169-16:9.3.11

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature 40 °C | 104 °F

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

ROHS

Weight, net 74.43 g | 0.164 lb

Regulatory Compliance/Certifications

Compliant

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance





* Footnotes

Insertion Loss, typical 0.05v⁻freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

