

7-16 DIN Female EZfit® for 7/8 in FXL-780, AVA5-50, and AVA5-50FX cable

Product Classification

Product Type Wireless and radiating connector

Product Brand EZfit®

Product Series AVA5-50 | AVA5-50FX | AVA5RK-50

Ordering Note CommScope® non-standard product

General Specifications

Body Style Straight

Cable Family AVA5-50 | AVA5-50FX | FXL-780

Harmonized System (HS) Code 854420 (Coaxial cable and other coaxial electric conductors)

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface 7-16 DIN Female

Mounting AngleStraightOuter Contact Attachment MethodClampOuter Contact PlatingTrimetalPressurizableNo

Dimensions


 Length
 48.01 mm | 1.89 in

 Diameter
 37.08 mm | 1.46 in

Nominal Size 7/8 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency-116 dBm @ 1800 MHz3rd Order IMD Test MethodTwo +43 dBm carriers

Insertion Loss, typical 0.05 dB 50 ohm **Cable Impedance Connector Impedance** 50 ohm dc Test Voltage 4000 V Inner Contact Resistance, maximum 0.4 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 5000 MHz **Outer Contact Resistance, maximum** 1.5 m0hm Peak Power, maximum 40 kW RF Operating Voltage, maximum (vrms) 1415 V

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
50-1000 MHz	1.03	40
1000-1900 MHz	1.03	38
1900-2200 MHz	1.05	34

Page 2 of 4



78EZDF

苏州启道 - 康普安德鲁HELIAX中国区独家授权总代理

2200-2700 MHz	1.06	31
2700-3600 MHz	1.07	30
3600-5000 MHz	1.1	27

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force1,334.47 N | 300 lbfConnector Retention Torque8.14 N-m | 72.001 in lb

Insertion Force200.17 N | 45 lbfInsertion Force MethodIEC 61169-1:15.2.4

Interface Durability 50 cycles

Interface Durability Method IEC 61169-4:9.5

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Corrosion Test Method IEC 60068-2-11. Test Condition Ka

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test MethodIEC 60529, IP68Vibration Test MethodIEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

Weight, net 136.65 g | 0.301 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value



78EZDF

苏州启道 - 康普安德鲁HELIAX中国区独家授权总代理

ISO 9001:2015 REACH-SVHC Designed, manufactured and/or distributed under this quality management system Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS

Compliant



* Footnotes

Insertion Loss, typical 0.05v⁻freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

