L4HM-D

苏州启道 - 康普安德鲁HELIAX中国区独家授权总代理



4.3-10 Male for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable

Product Classification

Product Type Wireless and radiating connector

Product Brand HELIAX®

Ordering Note CommScope® standard product (Global)

General Specifications

Body Style Straight

Cable Family LDF4-50A

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface 4.3-10 Male

Mounting Angle Straight

Outer Contact Attachment Method Clamp
Outer Contact Plating Trimetal

Dimensions


 Length
 73.15 mm | 2.88 in

 Diameter
 24.89 mm | 0.98 in

Nominal Size 1/2 in



Outline Drawing



Electrical Specifications

3rd Order IMD at Frequency -116 dBm @ 910 MHz

3rd Order IMD Dynamic Test Method Two +43 dBm carriers

Insertion Loss, typical 0.05 dB

Average Power at Frequency 600.0 W @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 VInner Contact Resistance, maximum1 m0hm

Insulation Resistance, minimum 5000 MOhm

Operating Frequency Band 0 - 8800 MHz

Outer Contact Resistance, maximum 1 m0hm

Peak Power, maximum22.5 kW

RF Operating Voltage, maximum (vrms) $884 \lor$

Shielding Effectiveness -110 dB

COMMSCOPE®

L4HM-D

苏州启道 - 康普安德鲁HELIAX中国区独家授权总代理

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
45-1000 MHz	1.02	40.09
1000-2700 MHz	1.03	38
2700-3800 MHz	1.07	30
3800-6000 MHz	1.11	26

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force 889.64 N | 200 lbf

Connector Retention Torque5.42 N-m | 47.998 in lbCoupling Nut Proof Torque10 N-m | 88.507 in lbCoupling Nut Retention Force449.98 N | 101.16 lbf

Interface Durability 100 cycles

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Corrosion Test Method IEC 60068-2-11

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

Weight, net 122.9 g | 0.271 lb

Regulatory Compliance/Certifications



L4HM-D

苏州启道 - 康普安德鲁HELIAX中国区独家授权总代理

Agency

Classification

CHINA-ROHS

Below maximum concentration value

ISO 9001:2015

Designed, manufactured and/or distributed under this quality management system

ROHS

Compliant



* Footnotes

Insertion Loss, typical 0.05v⁻freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

